

- white, high-opacity
- **■** for indoor use, matt surface finish
- low-emission, solvent-free



Living Space White

Technical data to DIN EN 13330

Wet-scrub resistance: Class 3

Covering power: Class 2 for 6.5 m²/ltr

Gloss level: Matt Max. aggregate size: Fine

Use

Emulsion paint for indoor wall and ceiling surfaces.

Constituents

Synthetic resin dispersion, titanium dioxide, mineral fillers, water, additives

Substrate

For all mineral substrates (e.g. concrete, masonry, filling compounds, gypsum plaster, cement render and lime render), gypsum plasterboard and other drylining board, firmly adhering emulsion paint coats and woodchip wall-paper, glass fabrics and other overcoatable wallpaper and wall coverings.

Substrate shall be dry, clean, strong and free from dust and grease. Remove loose material, existing wallpaper and badly adhering coatings from substrate. Prime highly absorbent, friable and chalking substrates with baufan® Deeply Penetrating Primer – solvent-free. Repair cracks, holes and irregularities with suitable baufan® filler.

Application

Stir well prior to use and apply with roller, brush, wall brush or suitable spray equipment. As primer, paint may be diluted with max. 5 % water. Apply finishing coat in undiluted form after first coat has fully dried. When coating larger areas, always work with live edges to prevent laps (flashing). Wash tools with water immediately after use.

Notes on airless spray application

Spray angle: 50° Nozzle: 0.023 – 0.027

Spraying pressure: 120 - 180 bar

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. For spray application, use combi-filter A2/P2.

Consumption per coat

Smooth surfaces/fine plaster aggregate from 150 ml/m²

Exact consumption rate to be determined by trial application on site.

Application temperature

+5 °C to + 30 °C for material, ambient air and substrate

Drying time

Approx. 5 hours under normal conditions (at +20 °C, 65 % relative humidity and moderately absorbent substrate); allow suitably longer drying times for unfavourable conditions.

Tinting

With max. 10 % Universal Concentrated Colorants or full-tone and tinting paint.

Note

Mask areas not to be painted. Keep out of reach of children. Ensure adequate ventilation during application and drying. Do not inhale spray mist. Refrain from eating, drinking and smoking while using paint. Wear goggles. In case of contact with eyes or skin, rinse immediately with plenty of water. Do not allow to enter drains, sewers, surface waters or ground. Hand over only fully emptied containers for recycling.

Contains biocidal product (preservative):

Methylchloroisothiazolinone/methylisothiazolinone (3:1), benzoisothiazolinone. May cause an allergic reaction. Advice for isothiazolinone allergy sufferers is available on 0049 (0) 341 / 44655-0.

GISCODE for coating materials: BSW20 EU VOC limit value for this product:

(Cat.: A/a, Wb) = 30 g/ltr (2010) Max. VOC content of this product: 1 g/ltr

Storage

Store in cool, though frost-free environment in properly sealed containers. Minimum shelf life in unopened containers subject to proper storage: see batch label.

Item No.

100677	2.5 ltr	PE tub
100684	5.0 ltr	PE tub
100691	10.0 ltr	PE tub

Status: June 2020 Page 1 of 1

Baufan Bauchemie Leipzig GmbH • Ludwig-Hupfeld-Straße 19 • D-04178 Leipzig • Telephone +49 (0)341 44655-0 • E-mail $\underline{info@baufan.de}$ • Internet $\underline{www.baufan.de}$