

Direct White Touch-Up Paint

Technical data sheet

250g / Item no.101988 / EAN 4016215101988

This ready-to-use, white emulsion paint is ideal for quick interior repairs. It is perfect for the targeted repair of stains, scratches and minor damage. The paint is easy to apply, provides reliable coverage and ensures a clean, neat appearance in no time at all.

Area of application

Emulsion paint for quickly touching up stains and scratches. Can be applied easily and cleanly directly from the tube onto the wall or ceiling.

Preparation

The repair areas must be clean, dry and free of separating agents (grease, soap residue, dust). Remove loose material by scraping out.

Processing

Shake the tube well before use. Remove the screw cap. Apply light pressure to the tube to fill the integrated brush with colour. Apply the colour evenly to the area to be repaired. If a second coat is required, the process can be repeated after the first coat has dried. Once the colour is completely dry, the painted surface can be used as usual. Clean the brush thoroughly with water after use. Drying time: approx. 6-8 hours under normal conditions (+20 °C, 65% relative humidity, moderately absorbent substrate); in unfavourable conditions, the drying time will be correspondingly longer.

Consumption

Smooth surfaces/fine plaster grain → approx. 1m² per tube

Storage

Keep container tightly closed in a cool but frost-free place. If unopened and stored properly, shelf life is at least 36 months from date of manufacture (see batch label).

Notes

Processing temperature: +5 °C to +30 °C for material, circulating air and substrate Do not cover surfaces to be painted. Keep out of reach of children. Ensure adequate ventilation during application and drying. Avoid eating, drinking and smoking while using the paint. In case of contact with eyes or skin, rinse immediately with plenty of water. Do not allow to enter drains, waterways or soil. Only dispose of empty containers for recycling.

Note:

All details and data presented in this information sheet are based on our practical experience and laboratory investigations, and reflect the current state of the art. They can, however, only serve as general guidance and shall provide no guarantee of specific properties or performance. Given that the conditions for storage, transportation and application of products are beyond our control, no legal liability may be construed from the information presented here. It shall be the responsibility of the user to check the product's suitability for the envisaged purpose under the specific site or project conditions.